



规格承认书

S

JAENS	
SUNN	



TRX 特锐祥
专注电容器廿年


TRX 电容器一级代理商


深圳市弗瑞鑫电子有限公司

Add : 深圳市宝安区西乡大道302号华丰金源商务大厦B座3楼

Tel : 0755-29563634

Emial : sales@frxelec.com


	SMD-Y1 SMD Y1 a.c. ceramic capacitors		
	/Number		/Date
	/Edition		/Page

 TRX 专注电容器廿年	SMD-Y1 SMD Y1 a.c. ceramic capacitors		
	/Number		/Date
	/Edition		/Page

1. /Product Name

T G Y1 102 K

2. / Product marking


	
--	--



SMD-Y1

SMD Y1 a.c. ceramic capacitors

/Number

	SMD-Y1		
	SMD Y1 a.c. ceramic capacitors		
	/Number		/Date
/Edition		/Page	

/

/

7. / Performance and test methods



SMD-Y1

SMD Y1 a.c. ceramic capacitors


/Number

/Date


/Edition

/Page


8. /Capacitor temperature characteristic



11. /Product packaging





ITEM	W	A0	B0	K1	K0	P	F	E	D0	D1	P0	P2	T
DIM	24.0	$^{+0.30}_{-0.30}$	$^{+0.10}_{-0.10}$	$^{+0.10}_{-0.10}$	$^{+0.10}_{-0.10}$	$^{+0.10}_{-0.10}$	$^{+0.10}_{-0.10}$	$^{+0.10}_{-0.10}$	$^{+0.10}_{-0.00}$	$^{+0.10}_{-0.00}$	$^{+0.10}_{-0.10}$	$^{+0.10}_{-0.10}$	$^{+0.05}_{-0.05}$






SPEC	A±0.3	B±0.5	C $^{+0.5}_{-0.0}$	D±0.5	T±0.2
24	2.3	10.75	24.4	Ø97	2.2

Item	Data	Remark
Cover tape adhesion	10 ~ 100g	Carrier tape and cover tape open angle 165 ~ 180° F=300± 5mm/minute




 TRX 专注电容器廿年	SMD-Y1 SMD Y1 a.c. ceramic capacitors		
	/Number		/Date
	/Edition		/Page

/inner-packaging



/Outer-packaging



/

/

/


/Package sketch:



/



/



Remark

