



# 深圳市弗瑞鑫电子有限公司

## 规格承认书

—  
\_\_\_\_\_  
\_\_\_\_\_


prepare	
check	
approve	



TRX电容一级代理商

深圳市弗瑞鑫电子有限公司

Add:深圳市宝安区西乡大道302号金源商务大厦B座3楼

Tel:0755-29563634

Fax:0755-27447020

- 2


2 . .


/

/

/

/


	- 2 2 . .		
	/		/
	/		/

	- 2 2 . .		
	/		/
	/		/

1. /

$\overline{\text{①}}$   $\overline{\text{②}}$   $\overline{\text{③}}$   $\overline{\text{④}}$   $\overline{\text{⑤}}$   $\overline{\text{⑥}}$

①


	- 2 2 . .		
	/		/
	/		/


3. /




4. /


5. /







①		
②		
③		
④		
⑤		




6. /  
/

°  
°C  
°  
°  
°




	- 2 2 . .		
	/		/
	/		/

/

°  
°C

°


°

°

/

7. /



	- 2 2 . .		
	/		/
	/		/





- 2  
2 ..

/

/

/

/


					±
		±			
		±			
		±			
		±			






			± ±
			± ± ±
			± ± ±

8. /






11. /  
/






ITEM	W	A0	B0	K1	K0	P	F	E	D0	D1	P0	P2	T
DIM	12.0	$4.38^{+0.30}_{-0.30}$	$5.70^{+0.10}_{-0.10}$	--	$2.70^{+0.10}_{-0.10}$	8.00	$5.50^{+0.10}_{-0.10}$	1.75	$\phi 1.5^{+0.10}_{-0.10}$	$\phi 1.5^{+0.10}_{-0.10}$	4.0	2.0	$0.30^{+0.05}_{-0.05}$
ALTERNATE													




/

Item	Data	Remark
Cover tape adhesion	10 ~ 100g	Carrier tape and cover tape open angle 165 ~ 180° F=300±5mm/minute




/ -	 <p>标签</p>		 <p>料号</p>			

/ -								
	图示 /		图示 /		图示 /			

/ :				
	/	/		

" "



	- 2 2 . .		
	/		/
	/		/

12. /

①

②