

Silicon Carbide Schottky Diode

Features

Typical Applications

Mechanical Data
Package
Terminals
Polarity

Maximum Ratings

| PARAMTETER | SYMBOL | UNIT | VALUE |
|------------|--------|------|-------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |




Electrical Characteristics


| PARAMTETER | SYMBOL | UNIT | TEST CONDITIONS | Тур. | Max. |
|------------|--------|------|-----------------|------|------|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |


Thermal Characteristics

| PARAMETER | SYMBOL | UNIT | VALUE |
|-----------|--------|------|-------|
| | | | |

Typical Characteristics










Outline Dimensions



| TO-220AC | | | | |
|----------|---------|--|--|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | D-220AC | | | |



Disclaimer

www.frxelec.com