



深圳市弗瑞鑫电子有限公司

规格承认书

—
————
————

prepare	
check	
approve	



TRX电容一级代理商

深圳市弗瑞鑫电子有限公司

Add:深圳市宝安区西乡大道302号金源商务大厦B座3楼

Tel:0755-29563634

Fax:0755-27447020

- 2


2 . .


/

/

/

/


	- 2 2 . .		
	/		/
	/		/

	- 2 2 . .		
	/		/
	/		/

1. /

$\overline{\text{①}}$ $\overline{\text{②}}$ $\overline{\text{③}}$ $\overline{\text{④}}$ $\overline{\text{⑤}}$ $\overline{\text{⑥}}$

①

	- 2 2 . .		
	/		/
	/		/


3. /



4. /

5. /





①		
②		
③		
④		
⑤		

- 2
2 ..

/

/

/

	- 2 2 . .		
	/		/
	/		/

/

°
°C


°

°

°

/

7. /

	- 2 2 . .		
	/		/
	/		/





- 2
2 ..


/

/

/


/


					±
		±			
		±			
		±			
		±			

			 <p>Diagram illustrating the testing setup:</p> <ul style="list-style-type: none"> Wood board of approximately 10mm in thickness Tissue paper Test specimen flame burner (45° angle) Approximately 8mm 200 ± 5mm

			± ±
			± ± ±
			± ± ±

8. /



 TRX 专注电容器廿年	- 2			
	2 . .			
	/		/	
	/		/	

9.

/



10.

/

(1)

(2)


/
/

(3)


(4)

x

11. /
/









ITEM	W	A0	B0	K1	K0	P	F	E	D0	D1	P0	P2	T
DIM	12.0	$4.0^{+0.10/-0.30}$	$5.70^{+0.10/-0.10}$	--	$2.70^{+0.10/-0.10}$	8.00	$5.50^{+0.10/-0.10}$	1.75	$1.5^{+0.10/-0.10}$	$1.5^{+0.10/-0.10}$	4.0	2.0	$0.30^{+0.10/-0.05}$
ALTERNATE													



/

Item	Data	Remark
Cover tape adhesion	10 ~ 100g	Carrier tape and cover tape open angle 165 ~ 180° F=300±5mm/minute




/ -	 <p style="margin-left: 10px;">标签</p>	 <p style="margin-left: 10px;">料号</p>	
			 <p style="text-align: center; color: red;">此处为密封当日日期</p>

/ -				
	图示 /	图示 /	图示 /	

/	:		
			
/	/		

" "

	- 2 2 . .		
	/		/
	/		/

12. /

①

②