



一级代理商：

深圳市弗瑞鑫电子有限公司

地址：深圳市宝安区西乡大道302号金源商务大厦B座三楼



0 -
0 - 0 0
.frxelec.










•



•











 **ORIENT**
Shenzhen Orient
Components Co., LTD

Material Code: (20) XXXXXX
|||||
P/N: (1) XXXXX
|||||

Lot No.: XXXXXX-XXXXX-TX-X
|||||

Digit: 000000


内箱码

外箱码


“XXXXXXXXXXXXXXXX” (一体机序列码)
Made in China

Qty: XXXX PCS
|||||









--	--



Figure 1. Collector Power Dissipation vs. Ambient Temperature




Figure 2. Forward Current vs. Ambient Temperature




Figure 3. Forward Current vs. Forward Voltage



Figure 4. Forward Voltage Temperature Coefficient vs. Forward Current




Figure 5. Pulse Forward Current vs. Duty Cycle Ratio




Figure 6. Pulse Forward Current vs. Pulse Forward Voltage






Figure 7. Collector-Emitt Saturation Voltage vs. Forward




Figure 8. Collector Current vs. Collector-Emitt




Figure 9. Collector Current vs. Small Collector, Emitt




Figure 10. Normalized CTR vs. Forward Current




Figure 11. Collector Dark Current vs. Ambient Temperature




Figure 12. Current Transfer Ratio vs. Forward Current

